

# ГАЙКИ КОРОНЧАТЫЕ РАСПОРНЫЕ ДЛЯ ТРУБ



1 Tube Connector P 55

2 Round Threaded Metal Insert P 57

3 Square Threaded Metal Insert P 58

4 Rectangular Threaded Metal Insert P 60

5 Caster Socket Round (For Pintle Glide) P 61

6 Caster Socket Square (For Pintle Glide) P 62

7 Plastic Threaded Insert P 63

# 1 Tube Connector

Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130030	3/4"	1/4"-20(M6)	16/18GA	Zinc plated	Steel
130031	7/8"		16/18GA	Zinc plated	Steel
130032	1"		16/18GA	Zinc plated	Steel
130033	1-1/8"	5/16"-18(M8)	16/18GA	Zinc plated	Steel
130034	1-1/4"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130035	1-1/2"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130036	1-3/4"		16/18GA	Zinc plated	Steel
130037	2"		16/18GA	Zinc plated	Steel
130038	2.5"	16/18GA	Zinc plated	Steel	



■ Steel pipes with 3/4" are only fitted with 1/4"-20 (M6) threads.

■ Only 1-1/2", 1-3/4", 2" and 2.5" steel pipes can be fitted with 1/2"-13(M12) threads.

Part No.	Tube O.D.	Steam thread	Tube	Stem Length	Material
130160	7/8"	1/4"-20	16/18GA	1"	Steel
130161	1"	1/4"-20	16/18GA	1"	Steel
130162	1"	5/16"-18	16/18GA	1"	Steel
130163	1-1/8"	1/4"-20	16/18GA	1"	Steel
130164	1-1/8"	5/16"-18	16/18GA	1"	Steel
130165	1-1/4"	1/4"-20	16/18GA	1"	Steel
130166	1-1/4"	5/16"-18	16/18GA	1"	Steel
130167	1-1/2"	1/4"-20	16/18GA	1"	Steel
130168	1-1/2"	5/16"-18	16/18GA	1"	Steel
130169	1-1/2"	3/8"-16	16/18GA	1"	Steel



Part No.	Tube O.D.	Steam thread	Tube	Stem Length	Material
130130	7/8"	1/4"-20	16/18GA	1"	Steel
130131	1"	1/4"-20	16/18GA	1"	Steel
130132	1"	5/16"-18	16/18GA	1"	Steel
130133	1-1/8"	1/4"-20	16/18GA	1"	Steel
130134	1-1/8"	5/16"-18	16/18GA	1"	Steel
130135	1-1/4"	1/4"-20	16/18GA	1"	Steel
130136	1-1/4"	5/16"-18	16/18GA	1"	Steel
130137	1-1/2"	1/4"-20	16/18GA	1"	Steel
130138	1-1/2"	5/16"-18	16/18GA	1"	Steel
130139	1-1/2"	3/8"-16	16/18GA	1"	Steel





Part No.	Tube O.D.	Steam thread	Tube	Material
130140	3/4"	1/4"-20S	16/18GA	Steel
130141	7/8"	1/4"-20S	16/18GA	Steel
130142	1"	1/4"-20S	16/18GA	Steel
130143	1-1/8"	1/4"-20S	16/18GA	Steel



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130400	7/8"	1/4"-20S(M6)	16/18GA	Zinc plated	Steel
130401	1"		16/18GA	Zinc plated	Steel
130402	1-1/8"	5/16"-18S(M8)	16/18GA	Zinc plated	Steel
130403	1-1/4"	3/8"-16S(M10)	16/18GA	Zinc plated	Steel
130404	1-1/2"	16/18GA	Zinc plated	Steel	





Part No.	Tube O.D.	Steam thread	Tube	Stem Length	Material
130150	7/8"	1/4"-20	16/18GA	1"	Steel
130151	1"	1/4"-20	16/18GA	1"	Steel
130152	1"	5/16"-18	16/18GA	1"	Steel
130153	1-1/8"	1/4"-20	16/18GA	1"	Steel
130154	1-1/8"	5/16"-18	16/18GA	1"	Steel
130155	1-1/4"	1/4"-20	16/18GA	1"	Steel
130156	1-1/4"	5/16"-18	16/18GA	1"	Steel
130157	1-1/2"	1/4"-20	16/18GA	1"	Steel
130158	1-1/2"	5/16"-18	16/18GA	1"	Steel
130159	1-1/2"	3/8"-16	16/18GA	1"	Steel



## 2 Round Threaded Metal Insert

### Installation steps:



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130010	5/8"	1/4"-20(M6)	16/18GA	Zinc plated	Steel
130011	3/4"		16/18GA	Zinc plated	Steel
130012	7/8"		16/18GA	Zinc plated	Steel
130013	1"	5/16-18(M8)	16/18GA	Zinc plated	Steel
130014	1-1/8"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130015	1-1/4"		16/18GA	Zinc plated	Steel
130016	1-1/2"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130017	1-3/4"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130018	2"		16/18GA	Zinc plated	Steel
130019	2.5"		16/18GA	Zinc plated	Steel



■ Steel pipes with 5/8", 3/4" are only fitted with 1/4"-20 (M6) threads.

■ Only 1-1/2", 1-3/4", 2" and 2.5" steel pipes can be fitted with 1/2"-13(M12) threads.

Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130070	7/8"	1/4"-20(M6)	16/18GA	Zinc plated	Steel
130071	1"		16/18GA	Zinc plated	Steel
130072	1-1/8"		16/18GA	Zinc plated	Steel
130073	1-1/4"	5/16-18(M8)	16/18GA	Zinc plated	Steel
130074	1-1/2"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130075	1-3/4"		16/18GA	Zinc plated	Steel
130076	2"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130077	2.5"		16/18GA	Zinc plated	Steel



■ Only 1-1/2", 1-3/4", 2" and 2.5" steel pipes can be fitted with 1/2"-13(M12) threads.

Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130300	1-1/2"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130301	1-3/4"		16/18GA	Zinc plated	Steel
130302	2"		16/18GA	Zinc plated	Steel
130303	2.5"	1/2"-13(M12)	16/18GA	Zinc plated	Steel



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130100	1-1/2"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130101	1-3/4"		16/18GA	Zinc plated	Steel
130102	2"		16/18GA	Zinc plated	Steel
130103	2.5"	1/2"-13(M12)	16/18GA	Zinc plated	Steel



## 3 Square Threaded Metal Insert

### Installation steps:




Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130020	5/8"x5/8"	1/4"-20(M6)	16/18GA	Zinc plated	Steel
130021	3/4"x3/4"		16/18GA	Zinc plated	Steel
130022	7/8"x7/8"		16/18GA	Zinc plated	Steel
130023	1"x1"	5/16-18(M8)	16/18GA	Zinc plated	Steel
130024	1-1/8"x1-1/8"		16/18GA	Zinc plated	Steel
130025	1-1/4"x1-1/4"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130026	1-1/2"x1-1/2"		16/18GA	Zinc plated	Steel
130027	1-3/4"x1-3/4"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130028	2"x2"		16/18GA	Zinc plated	Steel
130029	2.5"x2.5"		16/18GA	Zinc plated	Steel
130180	30x30mm	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130181	40x40mm		16/18GA	Zinc plated	Steel



■ Steel pipes with 5/8", 3/4" are only fitted with 1/4"-20 (M6) threads.

■ Only 1-1/2", 1-3/4", 2", 2.5" and 40mm steel pipes can be fitted with 1/2"-13(M12) threads.



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130040	7/8"x7/8"	1/4"-20(M6) 5/16-18(M8) 3/8"-16(M10) 1/2"-13(M12)	16/18GA	Zinc plated	Steel
130041	1"x1"		16/18GA	Zinc plated	Steel
130042	1-1/8"x1-1/8"		16/18GA	Zinc plated	Steel
130043	1-1/4"x1-1/4"		16/18GA	Zinc plated	Steel
130044	1-1/2"x1-1/2"		16/18GA	Zinc plated	Steel
130045	1-3/4"x1-3/4"		16/18GA	Zinc plated	Steel
130046	2"x2"		16/18GA	Zinc plated	Steel
130047	2.5"x2.5"		16/18GA	Zinc plated	Steel
130048	30x30mm		16/18GA	Zinc plated	Steel
130049	40x40mm		16/18GA	Zinc plated	Steel



■ Only 1-1/2", 1-3/4", 2", 2.5" and 40mm steel pipes can be fitted with 1/2"-13(M12) threads.

Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130060	1-1/2"x1-1/2"	3/8"-16(M10) 1/2"-13(M12)	16/18GA	Zinc plated	Steel
130061	1-3/4"x1-3/4"		16/18GA	Zinc plated	Steel
130062	2"x2"		16/18GA	Zinc plated	Steel
130063	2.5"x2.5"		16/18GA	Zinc plated	Steel
130064	30x30mm		16/18GA	Zinc plated	Steel
130065	40x40mm		16/18GA	Zinc plated	Steel



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130200	1-1/2"x1-1/2"	3/8"-16(M10) 1/2"-13(M12)	16/18GA	Zinc plated	Steel
130201	1-3/4"x1-3/4"		16/18GA	Zinc plated	Steel
130202	2"x2"		16/18GA	Zinc plated	Steel
130203	2.5"x2.5"		16/18GA	Zinc plated	Steel
130204	30x30mm		16/18GA	Zinc plated	Steel
130205	40x40mm	16/18GA	Zinc plated	Steel	



Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130050	5/8"x5/8"	1/4"-20(M6)	16/18GA	Zinc plated	Steel
130051	3/4"x3/4"		16/18GA	Zinc plated	Steel
130052	7/8"x7/8"	5/16-18(M8)	16/18GA	Zinc plated	Steel
130053	1"x1"		16/18GA	Zinc plated	Steel
130054	1-1/8"x1-1/8"	3/8"-16(M10)	16/18GA	Zinc plated	Steel
130055	1-1/4"x1-1/4"		16/18GA	Zinc plated	Steel
130056	1-1/2"x1-1/2"	1/2"-13(M12)	16/18GA	Zinc plated	Steel
130057	1-3/4"x1-3/4"		16/18GA	Zinc plated	Steel
130058	2"x2"		16/18GA	Zinc plated	Steel



■ Steel pipes with 5/8", 3/4" are only fitted with 1/4"-20 (M6) threads.

■ Only 1-1/2", 1-3/4" and 2" steel pipes can be fitted with 1/2"-13 (M12) threads.

## 4 Rectangular Threaded Metal Insert

Part No.	Tube O.D.	Steam thread	Tube	Color	Material
130500	1"-2"	1/4"-20(M6) 5/16"-18(M8)	16/18GA	Zinc plated	Steel
130501	1"-2.5"	3/8"-16(M10)	16/18GA	Zinc plated	Steel



■ V-shaped Shrapnel  
V型弹簧扣：

Part No.	Tube O.D.
210500	5/8"
210501	3/4"
210502	7/8"
210503	1"
210504	1-1/8"
210505	1-1/4"
210506	1-1/2"




## 5 Caster Socket Round (For Pintle Glide)



Part No.	Tube O.D.	Friction Ring Stem	Tube	Color	Material
130080	7/8"	7/16"	16/18GA	Zinc plated	Steel
130081	1"	7/16"	16/18GA	Zinc plated	Steel
130082	1-1/8"	7/16"	16/18GA	Zinc plated	Steel
130083	1-1/4"	7/16"	16/18GA	Zinc plated	Steel
130084	1-1/2"	7/16"	16/18GA	Zinc plated	Steel
130085	1-3/4"	7/16"	16/18GA	Zinc plated	Steel
130086	2"	7/16"	16/18GA	Zinc plated	Steel



Part No.	Tube O.D.	Friction Ring Stem	Tube	Color	Material
130090	7/8"	7/16"	16/18GA	Zinc plated	Steel
130091	1"	7/16"	16/18GA	Zinc plated	Steel
130092	1-1/8"	7/16"	16/18GA	Zinc plated	Steel
130093	1-1/4"	7/16"	16/18GA	Zinc plated	Steel
130094	1-1/2"	7/16"	16/18GA	Zinc plated	Steel
130095	1-3/4"	7/16"	16/18GA	Zinc plated	Steel
130096	2"	7/16"	16/18GA	Zinc plated	Steel



Special Fund

## 6 Caster Socket Square (For Pintle Glide)

Part No.	Tube O.D.	Friction Ring Stem	Tube	Color	Material
130110	7/8"x7/8"	7/16"	16/18GA	Zinc plated	Steel
130111	1"x1"	7/16"	16/18GA	Zinc plated	Steel
130112	1-1/8"x1-1/8"	7/16"	16/18GA	Zinc plated	Steel
130113	1-1/4"x1-1/4"	7/16"	16/18GA	Zinc plated	Steel
130114	1-1/2"x1-1/2"	7/16"	16/18GA	Zinc plated	Steel
130115	1-3/4"x1-3/4"	7/16"	16/18GA	Zinc plated	Steel
130116	2"x2"	7/16"	16/18GA	Zinc plated	Steel
130117	30x30mm	7/16"	16/18GA	Zinc plated	Steel
130118	40x40mm	7/16"	16/18GA	Zinc plated	Steel



Part No.	Tube O.D.	Friction Ring Stem	Tube	Color	Material
130120	7/8"x7/8"	7/16"	16/18GA	Zinc plated	Steel
130121	1"x1"	7/16"	16/18GA	Zinc plated	Steel
130122	1-1/8"x1-1/8"	7/16"	16/18GA	Zinc plated	Steel
130123	1-1/4"x1-1/4"	7/16"	16/18GA	Zinc plated	Steel
130124	1-1/2"x1-1/2"	7/16"	16/18GA	Zinc plated	Steel
130125	1-3/4"x1-3/4"	7/16"	16/18GA	Zinc plated	Steel
130126	2"x2"	7/16"	16/18GA	Zinc plated	Steel
130127	30x30mm	7/16"	16/18GA	Zinc plated	Steel
130128	40x40mm	7/16"	16/18GA	Zinc plated	Steel




■ Caster socket for pintle glide series products adaptation pintle glide series products. Pintle Glide Series Pxxx.




# 7 Plastic Threaded Insert


Part No.	Stem thread	Base Dia.	H	h	C	Material
130190	M6 (1/4"-20)	Ø 19mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130220	M6 (1/4"-20)	Ø 22mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130221	M8 (5/16"-18)	Ø 22mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130250	M6 (1/4"-20)	Ø 25mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130251	M8 (5/16"-18)	Ø 25mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130320	M8 (5/16"-18)	Ø 32mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130321	M10 (3/8"-16)	Ø 32mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130350	M8 (5/16"-18)	Ø 35mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130351	M10 (3/8"-16)	Ø 35mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130520	M8 (5/16"-18)	Ø 50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130521	M10 (3/8"-16)	Ø 50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
130522	M12 (1/2"-13)	Ø 50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE




Part No.	Stem thread	Base Dia.	H	h	C	Material
131919	M6 (1/4"-20)	19x19mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
132222	M6 (1/4"-20)	22x22mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
132220	M8 (5/16"-18)	22x22mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
132525	M6 (1/4"-20)	25x25mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
132520	M8 (5/16"-18)	25x25mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
133232	M8 (5/16"-18)	32x32mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
133230	M10 (3/8"-16)	32x32mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
133535	M8 (5/16"-18)	35x35mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
133530	M10 (3/8"-16)	35x35mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
135050	M8 (5/16"-18)	50x50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
135051	M10 (3/8"-16)	50x50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE
135052	M12 (1/2"-13)	50x50mm	20mm	5mm	1.2-1.5mm	Nylon/HDPE



Part No.	Stem thread	L	W	H	h	Material
240110	1/2"-13	25.4mm	25.4mm	37.3mm	3.3mm	PA6
240110-1	1/2"-13	31.8mm	31.8mm	37.3mm	3.3mm	PA6



Part No.	Stem thread	L	H	h	Material
240120	1/4"-20	25.4mm	12.7mm	0.8mm	PA6



Part No.	Stem thread	L	W	H	h	Material
240170	M16	30mm	30mm	27mm	6mm	PA6

